



CASE STUDIES: AIR MIZER® | SIDE ENTRY AGITATORS

Six Leaking Agitators Find a Permanent Sealing Solution

The Domtar Nekoosa pulp and paper mill, founded in 1883 as the Nekoosa Paper Company, has been operating along the banks of the Wisconsin River for more than 130 years. The facility is an integrated mill, producing pulp and publishing grade paper. Annual paper production capacity is 118,000 tons, and an annual pulp production is 155,000 tons.

The facilities management team continually seeks ways to improve the reliability and performance of key equipment at the mill. In an era of tough competition and closing paper mills, this approach has contributed to the mill's continued success.

COSTS AND CONCERNS SPUR CHANGE

Six side entry agitators were used in critical applications in the pulp and paper making process as they continuously mixed product in the tanks to prevent solids from settling to the bottom. Shaft deflection and misalignment, a common problem in most side entry agitators, made effective shaft sealing impossible on these units. Unreliable shaft seals lead to product leakage and contribute to premature bearing failure, causing an increase in unscheduled downtime, expensive maintenance repairs and costly product loss.

Two of the tanks located outdoors contain white liquor, a hot, corrosive and hazardous by-product of paper pulp production. One agitator was sealed with a double mechanical seal with a conventional glycol seal pot support system. The other agitator was sealed with conventional packing. When white liquor leaked through the seal, it was not only a maintenance issue but also an environmental concern.

The other four agitators were located on tanks inside the mill. These tanks held abrasive ground Calcium Carbonate and Filler Clay slurries. Because the slurries are abrasive, wear to the shafts and packing was excessive. This led to frequent re-packs, unnecessary maintenance and significant product loss to the drain. Flushing the packing with clean water would delay the breakdown, but wasn't acceptable due to dilution of the product in the tanks.

Annual costs for maintenance and lost product on these six agitators at the mill averaged over \$82,000. The maintenance team recognized it was time to investigate new sealing options to improve performance and reduce costs.

FACTS AT A GLANCE

The Inpro/Seal® Air Mizer® installed on six side entry agitators:

- permanently protect against product loss and harmful emissions.
- can accommodate high levels of shaft deflection and misalignment.
- utilized split designs for easy installation without de-coupling equipment.
- are maintenance free and will last the lifetime of the applications.
- decrease high maintenance costs.



CASE STUDIES: AIR MIZER® | SIDE ENTRY AGITATORS

In late 2005, the Maintenance Management Team met with Chuck Kimball, President of M.R.O. TECH, Inc., a local, long time Inpro/Seal distributor, to discuss options for upgrading the sealing method used on these agitators. Kimball recognized the side-entry agitators on the large tanks were an ideal application for the Inpro/Seal Air Mizer®. The maintenance team was eager to try the new sealing technology.



One of two split stainless steel Air Mizers installed on white liquor tank agitators.



One of four slurry tank agitators installed with Inpro/Seal Air Mizers to eliminate product loss and decrease maintenance costs.

THE AIR MIZER SOLUTION

The Inpro/Seal Air Mizer product seal is a non-wearing, permanent shaft seal that uses a positive purge to create an effective seal, preventing product or harmful emissions from escaping into the atmosphere. It seals by directing small amounts of air, inert gas or water through a precision clearance between the throttle and shaft, pressurizing the clearance. The sealing medium is evenly dispersed around the shaft to prevent dead spots and is directed toward the product and atmosphere evenly to safeguard against both product loss and contamination.

Unlike traditional seals, the Air Mizer fully articulates to accommodate shaft deflection, run-out and misalignment and does not require periodic adjustments. Its unique non-contacting design does not wear out or groove the shaft, therefore, providing a permanent sealing solution. All Air Mizers are custom engineered to fit the application, and provide an effective shaft seal for powders, liquids, slurries and bulk solids.

Kimball explained to Tom Hintz, Pulp Mill Maintenance Supervisor, the operating principle and technology of the Air Mizer and the performance up-grade to be expected. The decision was made to proceed.

In December 2005, a split custom engineered stainless steel Air Mizer was installed on one of the white liquor tank agitators. It proved to be the perfect solution for their leaking agitators. Other installations followed in rapid succession – the second white liquor tank agitator in Aug 2006, and the indoor slurry agitators in 2006, 2007 and 2008.

Hintz said “The split designs made installation quick and easy. No modifications to the agitators were required, and there is no on-going maintenance with the seals other than maintaining a low pressure air purge.”

A RETURN ON INVESTMENT

By switching to Air Mizers, the Nekoosa mill has realized impressive savings. After initial and continuous air costs, the Air Mizers installed are saving the mill:

- \$23,000 per year on the two white liquor tank agitators.
- \$51,000 per year on the four calcium carbonate and filler clay tank agitators.

Because the cost of the new seals consisted mainly of up-front, one-time expenditures, the team expects the \$74,000 savings per year to continue. A significant portion of this saving is the elimination of product loss. “Installing Air Mizers on our side entry agitators has proven to be a tremendous success. These seals paid for themselves within the first year of operation and we look forward to continued cost savings for many years to come.”, stated Jim Love, Paper Mill Maintenance Planner.